

Receiving Report

Date:

13/6/27

Batch No:

M126153

Supplier:

ME TA Co Ltd

Dart P/O:

20199

Packing Slip:

Yes

☒ No

Invoice:

Yes

☐ No

Receipt:

Cash

☐ Cr

Release Note Attached:

Yes

☒ No

N/A

Waybill Attached:

Yes

☐ No

N/A

Shipment Complete:

Yes

☒ No

N/A

QC6 Inspection

13/6/28

N/A

Work Order

N/A

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK) Level 12

[Signature]

Production/Admin:

Date

Received/Costing

Initial

13/6/27
[Signature]

Location

Page 1 of 1

All amounts are calculated in domestic currency.

Receipt Dates from 6/27/2013 to 6/27/2013

All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

Total Received Quantity:	167.9997
Total Qty to Inspect (PO U/M):	0.0000
Total Reject Quantity:	0.0000
Total Receipt Value:	\$445.98
Total Balance Due Quantity:	1.0833



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 1

Shipment No: 1796462

Ship From: A. M. Castle & Co. MONTREAL - CASTLE METALS 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN		Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
Date Shipped 25-JUN-2013	F.O.B. ORIGIN	Freight Terms Prepaid	Carrier MANITOULIN	BOL No 1796462-2			

Shipment Details		Final Destination Branch - MON
-------------------------	--	---------------------------------------

Order No 2902154	Line No 4	Item No 5062	Description 0.7500.2.5000.FLAT.304.STAINLESS.HR.ANN.PICKLE.132.0000-156 .0000 SPECIFICATIONS: ASTM A276				
Purchase Order No 20199	Part Number		Ordered Qty 12.00 FT	Invoice Qty 10.9167 FT			
Details SHIP AS SOON AS POSSIBLE END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS ECCN # EAR99							
Delivery No. 118837857	Mill VALBRUNA CORPORATION	Heat Number 252919	Mech Id	PCS 1	Width (IN)	Length (IN) 131.0000	Shipped Qty(LBS) 69.5938

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.							
We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.							
Reviewed by Authorized Castle Metals Representative:				Date: Name:			

Acciaierie Valbruna S.p.A.



CERTIFICATO DI COLLAUDO
ABNAHMEPRUEFZEUGNIS
INSPECTION CERTIFICATE
CERTIFICAT DE RECEPTION
EN 10204 (2005) , 3.1

36100 VICENZA (Italia) - Viale della solenza, 25 z.l.

Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Besteller/Purchaser/Client
VALBRUNA STAINLESS INC.
2400 TAYLOR STREET WEST
46801-FORT WAYNE, IN 46801-US

Produttore: **ACCIAIERIE VALBRUNA S.P.A.**
Hersteller/Client/Usine producteur

Avviso di Spedizione: D-VI11008851
Lieferanz/Packing List/B.L.

Ordine nr: 29793 STOCK CAROL STR
Bestell/Your order/Commande

Tipo di Elaborazione: E+AOD
Erschmelzungsart/Melting process/Mode d'elaboration

Certificato nr: MEST032120/2011/
Prüfung/Test/Essai

Conferma ordine nr: EI11002595
Works/Our Order/Ref. nr.

Marchio di Fabbrica:
Zeichen des Werksachverständigen
Trade mark
Sige de l'usine productrice

Funzione del Collaudatore:
Stempel des Werksachverständigen
Inspector's stamp/Poligon de l'essayeur



Stato di fornitura: Descaled Annealed Hotrolled
Lieferzustand/Delivery state/Etat de livraison

Sono state soddisfatte tutte le condizioni richieste
Die gestellten Anforderungen sind i. Anlage erfüllt
The material has been furnished in accordance with the requirements
Le matériel a été livré conforme aux exigences

Controllo antimescolanza: OK
Verwechslungsprüfung: spektralanalytisch durchgeführt
Antikinking testing performed: OK
Contrôle antimélange fait: r.e.s.

Controllo visivo e dimensionale: soddisfa le esigenze
Besichtigung und Ausmessung: ohne Beanstandung
Visual inspection and dimensional check/satisfactory
Contrôle visuel et dimensionnel: satisfaisant

Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.

The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1, s., 4.3 by TUEV and LLOYD'S

Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Acciaierie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the Products.

Handwritten signature and date: 13/06/28

Castle Metals FP

HEAT NUMBER 252919
MECHANICAL ID _____
ITEM CODE 5062
LOT NUMBER _____
PO NUMBER 115333
RECEIPT DATE 5/3/11
SUPPLIER Valbruna
SPECIFICATION _____
LCS _____
COMMENT _____
APPROVED [Signature]

enza, 24/03/11

IOS
MCEJ

Il collaudatore di stabilimento / der Werksachverständiger / Works Inspector / L'agent d'usine

M. Rizzotti *[Signature]*

Pagina - 2 di 2

Acciaierie Valbruna S.p.A.



CERTIFICATO DI COLLAUDO ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION EN 10204 (2005) , 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.l.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Clienti / Besteller/Purchaser/Client
VALBRUNA STAINLESS INC.
2400 TAYLOR STREET WEST
46801-FORT WAYNE, IN 46801-US

Produttore: ACCIAIERIE VALBRUNA S.P.A.
Hersteller/Usine producteur

Stato di fornitura: Descaled Annealed Hotrolled
Lieferzustand/Delivery state/Etat de livraison

Avviso di Spedizione: D-VI11009851
Lieferanzahl/Packing list/B.L.

Ordine nr: 29793 STOCK CAROL STR
Bestell./Your order/Commande

Tipo di Elaborazione: E4-AOD
Erschmelzungsart/Melting process/Mode d'elaboration

Certificato nr: MEST032120/2011/
Prüfung/Test/Essai

Conferma ordine nr: EI11002595
Werte/Our Order/Ref. nr.

Marchio di Fabbrica:
Zeichen des Lieferwerkes
Trade mark
Sigle de l'usine productrice

Punzone del Collaudatore:
Stempel des Werksachverständigen
Inspector's stamp/Poinçon de l'assesseur



Specifiche:
Anforderungen / Requirements / Exigences

VSI 0 304/304L A
AMS-QQ-S-763 B 304/304L A
ASME SA278 2010 S30400/03 A (2)
ASTM A182 2010A S30400/03 A (8)
ASTM A276 2010 S30400/03 A
ASTM A370 2010
MIL-S-882 B/1 304/304L

AMS 5639 H S30400 A
ASME SA182 2010 S30400/03 A (0)
ASME SA320 2010 B8 CLASS1 (3)
ASTM A193 2010A B8 CLASS1
ASTM A314 2008 S30400/03
ASTM A473 2001 S30400/03 (8)
NACE MR0175* 2003 S30400/03 A (7)

AMS 5647 H S30403 A
ASME SA193 2010 B8 CLASS1 (1)
ASME SA479 2010 S30400/03 A (4)
ASTM A282 2010 PRACTICE E
ASTM A320 2010 B8 CLASS1
ASTM A479 2010A S30400/03 A
QQ-S-763 F 304/304L A

(0) SEC.II PT.A 2010 EDITION
(1) SEC.II PT.A 2010 EDITION
(3) SEC.II PT.A 2010 EDITION
(6) For products machined directly from bar refer to ASTM A479.
(7) * ISO 15156-3

(0) For products machined directly from bar refer to ASME SA479
(2) SEC.II PT.A 2010 EDITION
(4) SEC.II PT.A 2010 EDITION
(6) Chemical analysis only.

Qualità: 304/304L
Werkstoff/Grade/Qualité

Marca: AISI

Werkstoffbezeichnung/Brand/Qualité

Punzonatura: 304/304L
Kennzeichnung/Marking/Marquage

Pos. nr. Pos. nr. Item nr.	Objetto Gegenstand Product description Description du produit	Dimensioni - In Abmessungen Dimension Dimension	Tolleranza Toleranz Allowance Tolerance	Lunghezza - In Länge Length Longueur	Colata Schmelze Heat Coulée	Pezzi Stückzahl Pieces Pièces	Peso - LB Gewicht Weight Poids	Lotto nr. Losnr. Lot nr. Lot nr.
0060	Fiat	2,5000 x 0,7500	484-09	144 / 157	252919		2,015	126400580

TEST ALLO STATO DI FORNITURA

Test on delivery condition Prüfung auf lieferbarem Produkt test à l'état de livraison Prueba sobre el material así como entregado

TEST	Prova/Probe Berechnung/Prognose Long. diam. Splice Profile diam. Thickn. Long. diam. splice mm	°F	Pozz. Staglie Fouling Fouling	Snervamento Bruchgrenze Yield Stress Unter elastique Rp 0,2% k.s.l.	Snervamento Bruchgrenze Yield Stress Unter elastique Rp 0,2% k.s.l.	Resistenza Zugfestigkeit Tensile strength Résistance à traction Rm k.s.l.	Allungamento Bruchdehnung Elongation Allongement E 4d %	Strizione Bruchdehnung Reduction of area Striction RA %	Resilienza Kerbschlagenergie Impact Value Resilience	Durezza Härte Hardness Dureté HB
	Valori richiesti 1 Anforderungen/Required values Valeurs demandées	min max		30	-	75 115	- 40	- 50	-	140 235
A	12,5	68 L		46		91	56	65		182

TEST	min	max
A Grain size for ASTM E112		6

1) L=longitudinale/longs, T=transversale/quer, Q=Yangenziale/tangentiel

Mechanical properties according to ASTM A370.

Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

Colata/Heat Schmelze/Coulée	min max	0,030	1,00	2,00	18,00 20,00	1,00	1,00	8,00 10,50	0,040	0,020 0,030	0,100	-	-	-	-
252919	C %	Si %	Mn %	Cr %	Mo %	Cu %	Ni %	Co %	P %	S %	N %				
	0,019	0,41	1,64	18,27	0,38	0,56	8,12	0,110	0,031	0,023	0,088				

Produced without class I-II Ozone depleting substances.

Solution heat treated free from continuous carbide network.

Annealing temperature: 1940°F for 1 h/water.

Micro and macro etch test: OK

Intergranular corrosion test per ASTM A262 pract. E: ok.

Material is DFARS Compliant

licenza, 24/03/11

X3008
(04, MCER)

Il collaudatore di stabilimento / der Werkssachverständiger / Works Inspector / L'agent d'usine

M. Rizzotti

Pagina - 1 di 2



Castle Metals®

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

A. M. Castle & Co.

Page 1 of 1

Shipment No:1796462

Ship From: A. M. Castle & Co. MONTREAL - CASTLE METALS 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
Date Shipped 25-JUN-2013	F.O.B. ORIGIN	Freight Terms Prepaid	Carrier MANITOULIN	BOL No 1796462-2

Shipment Details	Final Destination Branch - MON
-------------------------	---------------------------------------


Order No 2902154	Line No 6	Item No 15043	Description 0.3750.RD.304/304L.STAINLESS.CF.ANN.132.0000-156.0000 SPECIFICATIONS: ASTM A276		
Purchase Order No 20199	Part Number	Ordered Qty 48.00 FT	Invoice Qty 48.3333 FT		
Details SHIP AS SOON AS POSSIBLE END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS ECCN # EAR99					
Delivery No. 118837813	Mill NORTH AMERICAN STAINLESS	Heat Number F3Y7	Mech Id	PCS 4	Width (IN)
					Length (IN) 145.0000
					Shipped Qty(LBS) 18.1733

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.	
We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.	
Reviewed by Authorized Castle Metals Representative:	Date: Name:

OK 13/06/28

Castle Metals FP

HEAT NUMBER	E347
MECHANICAL ID	
ITEM CODE	15043
LOT NUMBER	
PO NUMBER	205140
RECEIPT DATE	2-28-13
SUPPLIER	NAS
SPECIFICATION	N
LCS	
COMMENT	
APPROVED	<i>[Signature]</i>



**6870 Highway 42 East
Ghent, KY 41045-9615
(502) 347-6000**

Mail To:
A.M. CASTLE AND COMPANY
1420 KENSINGTON ROAD-SUT
OAK BROOK IL 60452

Date: 2/26/2013 Page: 1 of 1

Item Code: 15043

REMARKS:

COMPLIES W/REQUIREMENTS OF DPAR 252.225-7014A-1 EU DIRECTIVE 2002/95/EC, RoHS, EAF+AOD+CC. NO WELD REPAIR, MELTED AND MFG IN USA FREE FROM MERCURY AND LOW MELTING ALLOY CONTAMINATION

Round Bar, Annealed, Cold Draw

UNS 30400/30403 EN 10204 3.1, ASTM A484/11

ASTM A276/10, ASTM A479/11, ASTM A182/10 CHEM ONLY.

ASME SAA79/10a, ASME SA182/10 CHEM ONLY

AMS 5639H, AMS 5647J, AMS QQS-763H, QQS-763P, ASTM F899/11
SOLUTION ANNEAL TEMP 1900F MIN

CHEMICAL ANALYSIS

MECHANICAL PROPERTIES

NAS hereby certifies that the analysis on this certification is correct. Based upon the results and the accuracy of the test methods used, the material meets the specifications stated. These results relate only to the items tested and this report cannot be reproduced, except in its entirety, without the written approval of NAS

ERIC HESS



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 1

Shipment No: 1796462

Ship From: A. M. Castle & Co. MONTREAL - CASTLE METALS 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN		Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
Date Shipped 25-JUN-2013	F.O.B. ORIGIN	Freight Terms Prepaid	Carrier MANITOU LIN	BOL No 1796462-2			

Shipment Details		Final Destination Branch - MON	
-------------------------	--	---------------------------------------	--

Order No 2902154	Line No 3	Item No 14154	Description 0.5000.RD.303.STAINLESS.CF.ANN.132.0000-156.0000 SPECIFICATIONS: ASTM A582				
Purchase Order No 20199	Part Number		Ordered Qty 108.00 FT	Invoice Qty 108.7500 FT			
Details SHIP AS SOON AS POSSIBLE END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS ECCN # EAR99							
Delivery No. 118837813	Mill NORTH AMERICAN STAINLESS	Heat Number F9B4	Mech Id	PCS 9	Width (IN)	Length (IN) 145.0000	Shipped Qty(LBS) 72.6450

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.	
We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.	
Reviewed by Authorized Castle Metals Representative:	Date: Name:



NORTH AMERICAN
STAINLESS

METALLURGICAL TEST REPORT

6870 Highway 42 East
Ghent, KY 41045-9615
(502) 347-6000

Certificate: 824462 15 Mail To: Ship To: Date: 4/04/2013 Page: 1 Of 1
A.M. CASTLE AND COMPANY A.M. CASTLE AND COMPANY Steel: 303
1420 KENNINGTON ROAD-SUITE 220 3400 NORTH WOLF ROAD Finish: Cold Draw
OAK BROOK IL 60523 FRANKLIN PARK IL 60131 Dia/Thk: .5000 in
Customer: 0032 001 Leg Length: 144.00 in
NAS Order: LN 96407 1 Length: 144.00 in
Your Order: 212767 Corrosion:

PRODUCT DESCRIPTION:

Round Bar, Annealed, Cold Draw
ASTM A582/12 EN 10204 3.1, ASTM A484/11
AMS 5640U TYPE 1, QQS-764B CONDITION A
SOLUTION ANNEAL TEMP 1900F MIN

REMARKS:

COMPLIES W/REQUIREMENTS OF DPAR 252.225-7014A-1 EU DIRECTIVE
2011/65/EU ROHS. EAP+AOP+CC. NO WELD REPAIR. MELTED AND MFG
IN USA FREE FROM MERCURY AND LOW MELTING ALLOY CONTAMINATION

Item Code: 14154

Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight
BF31712 1790	BF31736 2322								

CHEMICAL ANALYSIS

Chemical Analysis per ASTM A751/08

Heat	Supplier #	CM	C %	CO %	CR %	CU %	MN %	MO %	N %	NI %	P %	S %
F9B4	US		.050	.11	17.22	.35	1.83	.26	.052	8.47	.031	.3200

Castile Metals FP

HEAT NUMBER

MECHANICAL ID

MECHANICAL PROPERTIES

1 d	HB	NO.	.2YS	KSI	UTS	KSI	RA	%	Elong	% 2"
BF31712 R L	204.0		72.84		101.87		57.19		44.25	
BF31736 R L	204.0		72.84		101.87		57.19		44.25	

NAS hereby certifies that the analysis on this certification is correct. Based upon the results and the accuracy of the test methods used, the material meets the specifications stated. These results relate only to the items tested and this report cannot be reproduced, except in its entirety, without the written approval of NAS

APPROVED
Technical
Dept. Mgr.

ERIC HESS



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO20199**

Purchase Order Date 6/17/2013

PO Print Date 6/17/2013

Page Number 1 of 2

Order From : VC-MET001
METAUX CASTLE
A.M. CASTLE & CO. (CANADA) INC. - C/O 910720
P.O. BOX 4090 STN A
TORONTO, ON M5W OE9
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAKED
6/13/2013

Contact Name
Vendor Phone 514 694 9575

Ship To Contact
Ship To Phone
Ship Via: Yours ppd
Ship Acct:

Buyer Chantal Lavoie
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency CAD
FOB Destination-Collect

M/28 153

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	List Price	Disc %	Discounted Unit Price	Extended Price
1	M303R0.500 MATERIAL: 303 SS ROUND BAR (NOTE: AISI 304/316 NOT ACCEPTABLE) AS PER ASTM A582	303 Round Bar 0.500"	6/28/2013 Yes 6/28/2013		108.00 f 108.76				\$182.52
Line Total:									\$182.52
2	M304B0.750X2.500 MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE (NOTE: AISI 303 NOT ACCEPTABLE) AS PER ASTM A276 OR ASTM A240	304 BAR .750 X 2.50	6/28/2013 Yes 6/28/2013		12.00 f 10.9167				\$256.32
Line Total:									\$256.32
3	M304R0.375 MATERIAL: AISI 304/316 SS ROUND BAR (NOTE: AISI 303 NOT ACCEPTABLE) AS PER ASTM A276	304 ROUND BAR 0.375	6/28/2013 Yes 6/28/2013		48.00 f 48.3333				\$45.12

Note:

6/17/2013



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO20199**

Purchase Order Date 6/17/2013

PO Print Date 6/17/2013

Page Number 2 of 2

Order From : VC-MET001
METAUX CASTLE
A.M. CASTLE & CO. (CANADA) INC. - C/O 910720
P.O. BOX 4090 STN A
TORONTO, ON M5W OE9
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 514 694 9575

Ship To Contact
Ship To Phone
Ship Via: Yours ppd
Ship Acct:

Buyer Chantal Lavoie
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency CAD
FOB Destination-Collect

Line Total: \$45.12

PO Total: \$483.96

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

CL [Signature]

Note: Pricing listed above is as per contract agreement between Dart Aerospace and the respective manufacturer.
No substitution or deviation without consent.

Certificate of Conformity or Material Certification required ☒ YES ☐ NO

Change Nbr: 2 **Change Date:** 6/17/2013